

BASIC SURVEYING AND LEVELLING





₹ 500.00

Edition : 8th Edition : 2024 ISBN : 9789385039584 **Binding** : Paperback

: 384 + 16 = 400**Pages** Size (mm) : 235 × 15 × 170

Weight : 500 g



ABOUT THE BOOK

This Eighth revised and enlarged edition provides an up-to-date knowledge of the basic principles of Surveying and Levelling. The subject matter is canvassed along with theory, variety of examples, various types of survey techniques; survey instruments used in the field; measurement of distances, both vertical and horizontal; the direction of lines or angles between the lines, where as various levelling instruments, principles, techniques, methods applied in levelling are given in this text book. The subject matter is expressed in a simple language and practical manner. The treatment is clear, methodical as well as interesting and easy to follow.

From the earlier seventh edition, the single volume is now split into two separate independent books:

Book I : Basic Surveying and Levelling

Book II: Advance Surveying and Levelling.

This division has been made to better cater to the diverse needs of students, professionals, and educators in the field of civil engineering, land surveying, and related disciplines.

This Basic Surveying and levelling is arranged in the chapters like: Introduction, Scales, Linear measurements of distances, Chain Surveying and Ranging, Cross staff chain Surveying and Instruments, Compass Survey, Levelling, Permanent adjustments of Levels, Contouring, Plane Table Survey, Computation of Areas, Computation of Volumes, Minor Instruments, Global positioning system (G.P.S.) and Geographic information system (G.I.S.), Appendix I contains 170 Multiple Choice Questions and Appendix II showing Abbreviated Terms used in this book are given at the end of the book.

The above chapters now contains:

- * 254 Self-explanatory and neatly drawn sketches
- * 179 Solved problems
- * 47 Useful tables
- * 307 Questions at the end of the chapters.

It is hoped that the book in the present form would satisfy the need of the Engineering students preparing for Degree Examinations of all the Indian Universities, Diploma Examinations conducted by various Boards of Technical Education, Certificate Courses as well as for the A.M.I.E., U.P.S.C., G.A.T.E., I.E.S. and other similar competitive and professional examinations. It should also prove of interest to the practising professionals.

CONTENT

- 1: INTRODUCTION
- 2: SCALES
- 3: LINEAR MEASUREMENTS OF DISTANCES
- 4: CHAIN SURVEYING AND RANGING
- 5: CROSS STAFF CHAIN SURVEYING AND **INSTRUMENTS**
- 6: COMPASS SURVEY
- 7: LEVELLING
- 8: PERMANENT ADJUSTMENTS OF LEVELS
- 9: CONTOURING
- 10: PLANE TABLE SURVEY
- 11: COMPUTATION OF AREAS
- 12: COMPUTATION OF VOLUMES
- 13: MINOR INSTRUMENTS
- 14: GLOBAL POSITIONING SYSTEM (G.P.S.) AND GEOGRAPHIC INFORMATION SYSTEM (G.I.S.)

APPENDIX I: MULTIPLE CHOICE QUESTIONS (MCQ)

APPENDIX II: ABBREVIATED TERMS

INDEX

Catalogue

Checklist







CHAPTER 1 INTRODUCTION

- 1-1. General
- 1-2. Object of survey
 - (1)Details
 - Scale (2)
- Purposes of survey 1-3.
- 1-4. Classification of surveys
- 1-4-1. Engineering surveys
 - (1) Reconnaissance survey
 - Preliminary survey (2)
 - (3) Location survey
- 1-4-2. Geodetic surveys
- 1-4-3. Plane surveys
 - Depending upon the shape of framework (1)
 - Depending upon the type of instrument employed (2)
- 1-4-4. Miscellaneous surveys
 - Archaeological surveys (1)
 - (2) Astronomical surveys
 - (3) Cadastral surveys
 - (4) City surveys
 - (5) Geological surveys
 - (6) Marine surveys
 - (7) Military surveys
 - (8) Mining surveys
 - Topographical surveys
- 1-5. Difference between plane and geodetic survey
- Principles of surveying 1-6.
 - Principle no. 1 (1)
 - (2)Principle no. 2
- 1-7. Uses of survey
- Measurements and their units 1-8
 - Linear measurement
 - Angular measurements (2)
- 1-9. Roll of surveyor
 - Field operations (1)
 - (2) Office work
 - (3) Use of instruments
- 1-10. Precision and accuracy in surveying **OUESTIONS 1**

CHAPTER 2 SCALES

- 2-1. General
 - (1) Engineer's scale
 - Graphical scale
 - Representative fraction
- Requirements of a scale 2-2..
- 2-3. Classification of scales
- 2-3-1. Plain scale
- 2-3-2. Diagonal scale
- 2-3-3. Vernier scale
 - Direct vernier (1)
 - (2)Retrograde vernier
 - Extended vernier (3)
 - (4) Double vernier
 - (5) Double-folded vernier
- 2-3-4. Miscellaneous scales
 - Comparative scales (1)
 - (2) Scale of chords
 - (3) Shrunk scale
- 2-4. Plans and maps
- 2-5. Scale for survey maps and plans
- Difference between topographical map and cadastral map 2-6.
- 2-7. Correction due to use of wrong scale

QUESTIONS 2

CHAPTER 3 LINEAR MEASUREMENTS OF DISTANCES

- General
 - (1) Direct methods
 - (2) Indirect methods
- Direct methods of linear measurements
- 3-2-1. Direct methods without instruments
 - (1)Judging the distance
 - (2)Pacing
 - Time interval (3)
- 3-2-2. Direct methods with instruments
 - (1)
 - Odometer (2)
 - Passometer (3)
 - (4) Pedometer
 - Perambulator (5)
 - (6) Speedometer
- 3-3. Types of chains

 - (1) Metric chain
 - (2) Steel band
 - (3) Engineer's chain
 - (4) Gunter's chain
 - (5) Revenue chain
- Folding and unfolding of chain
- Testing and adjusting of chain
- 3-6. Instruments for marking stations
 - Arrows (1)
 - (2) Hammer
 - (3) Laths
 - (4) Nails or spokes
 - (5) Offset rod
 - (6) Pegs
 - (7)Plumb bob
 - Ranging poles (8)
 - Ranging rods (9)
 - (10) Whites
 - (11) Twig splits
- Types of tapes
 - (1) Cloth or linen tape
 - (2) Invar tape
 - (3) Metallic tape
 - (4) Steel tape
- 3-8. Tape corrections
 - Correction for absolute length or standardization (1)
 - Correction for height above mean sea level (MSL) (2)
 - (3) Correction for pull or tension
 - (4) Correction for sag
 - (5) Correction for slope or vertical alignment
 - Correction for temperature
- Typical problems of linear measurements of distance **QUESTIONS 3**

CHAPTER 4 CHAIN SURVEYING AND RANGING

- 4-1. General
- Principle of chain survey 4-2.
- 4-3. Survey stations
- 4-4. Survey lines
 - (1) Base line
 - (2) Check line
 - Tie line (3)
- 4-5. Offsets
 - Definition (1)
 - (2) **Types**
 - Taking perpendicular offsets (3)
 - (4) Number of offsets
 - Degree of accuracy in taking offset (5)
 - Limiting length of offset





	DETAILED CONTENTS				
4-6.	Ranging	5-4.	Instruments for setting out perpendiculars		
	(1) Definition	5-4-1.	Chain or tape		
	(2) Purposes		(1) Case I: Perpendicular from a given point on chain		
4-7.	Types of ranging		(2) Case II: Perpendicular from a given point outside chain		
4-7-1.	Direct ranging	5-4-2.			
7 / 1.	(1) Ranging by eye	3-4-2.	(1) Adjustable cross-staff		
	(2) Ranging by line ranger				
	(3) Ranging by the dollite		(2) French cross-staff		
472		~ o	(3) Open cross-staff		
4-7-2.	Indirect ranging	5-4-3.	Optical square		
	(1) Random line ranging		(1) Mirror type optical square		
4.0	(2) Reciprocal ranging		(2) Prism type optical square		
4-8.	Chaining on plain ground		(3) Site square		
4-9.	Points to be observed during chaining	5-5.	Difference between cross-staff and optical square		
	(1) Folding and unfolding of chain	5-6.	Cross-staff survey		
	(2) Number of arrows	5-7.	Obstacles in chaining		
	(3) Reading the chain	5-7-1.	Chaining free but vision obstructed		
	(4) Testing and adjusting chain	5-7-2.	Chaining obstructed but vision free		
4-10.	Chaining on sloping ground	5-7-3.	Chaining and vision both obstructed		
4-10-1.	Direct method of chaining	QUEST	TIONS 5		
	(1) Direction of work	СНАР	TER 6 COMPASS SURVEY		
	(2) Error due to sag	6-1.	General		
	(3) Horizontality of chain				
	(4) Length of step	6-2.	Traversing and triangulation		
	(5) Record of steps		(1) Area covered by survey		
4-10-2.	Indirect method of chaining		(2) Checks		
	(1) Hypotenusal allowance		(3) Measurements		
	(2) Measuring angle of inclination		(4) Nature of area		
	(3) Measuring difference in level		(5) Period of work		
4-11.	Errors in ordinary chaining		(6) Reconnaissance survey		
	Compensating errors	6-3.	Methods of measuring direction		
	(1) Adding or omitting full length of chain		(1) Chain angles		
	(2) Calling numbers wrongly		(2) Included angles		
	(3) Displacement of arrows	6-4.	Magnetic needle		
	(4) Imperfect alignment		(1) Broad needle		
	(5) Incorrect holding		(2) Edge bar needle		
	(6) Reading from wrong end of chain	6-5.	Pivot		
	(7) Reading wrong numbers	6-6.	Compass		
	(8) Wrong booking		(1) Prismatic compass		
4 11 2	Cumulative errors		(2) Surveyor's compass		
4-11-2.			(3) Compass over a level		
	(1) Chain not being horizontal		(4) Trough compass		
	(2) Chain not being straight		(5) Tubular compass		
	(3) Chain of incorrect length	6-7.	Difference between prismatic and surveyor's compass		
	(4) Error due to sag	6-8.	Tripods		
	(5) Incorrect ranging	0-8.			
4.40	(6) Variation in temperature		(1) Solid leg type		
4-12.	Degree of accuracy in chaining work		(2) Split leg type		
4-13.	Field book	6.0	(3) Telescopic leg type		
4-14.	Instruments required in chain survey	6-9.	Bearings		
4-15.	Procedure for carrying out chain survey		(1) Definition		
	(1) Reconnaissance survey		(2) Meridians		
	(2) Marking of stations	6-10.	Magnetic declination		
	(3) Preparation of reference sketches	6-11.	Classification of declination		
	(4) Running of survey lines		(1) Diurnal variation		
4-16.	Plotting work with conventional signs		(2) Annual variation		
	(1) Base line		(3) Secular variation		
	(2) Colouring		(4) Irregular variation		
	(3) Curves	6-12.	Methods of designation		
	(4) Existing and new works		(1) Quadrantal bearing system		
	(5) Plotting details		(2) Whole circle bearing system		
	(6) Selection of scale	6-13.	Fore bearing and back bearing		
QUEST	TIONS 4	6-14.	Included angles from bearings		
	TER 5 CROSS STAFF CHAIN SURVEYING AND	2 2 11	(1) Case I. R.B. System		
CIIAI	INSTRUMENTS		(2) Case II. W.C.B. System		
5-1.	General	6-15.	Local attraction		
5-1. 5-2.	Purpose	0-13.	(1) First method		
5-2. 5-3.	Basic principle				
ى-ى. 	Duote brineibie		(2) Second method		









- 6-16. Chain and compass survey
- 6-17. Plotting of compass survey
 - Included angles (1)
 - Parallel meridian (2)
- 6-18. Closing error
- 6-19. Errors in compass survey
 - (1) Errors due to external forces
 - (2) Instrumental errors
 - Personal errors (3)
- 6-20. Precautions in using the compass
- 6-21. Accuracy and precision
 - Accuracy (1)
 - (2) Precision
- 6-22. Limits of precision

QUESTIONS 6

CHAPTER 7 LEVELLING

- 7-1. General
- Definitions of some common terms in levelling
 - Backsight, foresight and intermediate sight
 - Bench mark (2)
 - (3) Change point or turning point
 - Datum (4)
 - Elevation (5)
 - Height of instrument (6)
 - (7) Horizontal line
 - (8) Level line
 - Level surface (9)
 - (10) Line of collimation
 - (11) Mean sea level
 - (12) Reduced level
 - (13) Station
 - (14) Vertical angle
 - (15) Vertical line or plumb line
- Methods of levelling
- 7-3-1. Direct levelling
 - (1) Simple levelling
 - Differential levelling (2)
 - Reciprocal levelling (3)
 - (4) Profile levelling
 - (5) Cross-sectioning
 - Precise levelling (6)
 - Check levelling (7)
 - (8) Fly levelling
- 7-3-2. Indirect levelling
- (1) Barometric levelling
 - Hypsometry (2)
 - Trigonometrical levelling (3)
- Principles of levelling
 - Change point (1)
 - Lengths of B.S. and F.S. (2)
 - Position of level (3)
 - (4) Starting and ending
- 7-5. Instruments for levelling
- Types of levels 7-6.
 - (1) Dumpy level
 - Cooke's reversible level (2)
 - Wye or y-level (3)
 - Cushing's level (4)
 - Tilting level (5)
 - (6) Gradientor or gradiometer
- 7-7. Levelling staff
 - Self-reading staff (1)
 - Target staff (2)
 - Holding the staff (1)
 - (2) Reading the staff

- Essential parts of a level
 - Bubble tube
 - (2) Levelling head
 - Telescope and its working (3)
- Parallax and focussing
- 7-10. Defects of a single lens
 - Spherical aberration
 - (2) Chromatic aberration
 - (3) Coma
- 7-11. Parts of a telescope
 - Objective (1)
 - Eye-piece (2)
 - Diaphragm (3)
 - Body with focussing arrangement (4)
- 7-12. Optical characteristics of telescope
- 7-13. Accessories to a level
 - (1) Bubble reflector
 - (2) Clamp and slow motion screws
 - (3) Compass
 - (4) Dust cap
 - (5) Quick setting levelling head
 - (6) Ray shade and ray shade clinometer
- 7-14. Bench marks
 - (1) Arbitrary bench marks
 - G.T.S. Bench marks (2)
 - Permanent bench marks (3)
 - (4) Temporary bench marks
- 7-15. Temporary adjustments of levels
- 7-16. Entering the staff readings
- 7-17. Reduction of levels
 - (1) Collimation system
 - Rise and fall system (2)
 - Accuracy (1)
 - (2)Simplicity
 - (3) Use
- 7-18. Difficulties in levelling
 - Levelling across high wall (1)
 - (2) Levelling across river
 - (3) Levelling across wide lake or pond
 - Levelling on steep slope (4)
 - Levelling on summits and hollows (5)
 - Taking reading when B.M. or staff station is above the (6)
 - Taking reading when staff is too low or too high (7)
 - (8) Taking reading when staff is too near the level
- 7-19. Curvature and refraction
 - Curvature (1)
 - Refraction (2)
 - (3) Combined correction
 - (4) Methods of correction
 - (5) Distance to the visible horizon
 - (6) Dip of the horizon
 - Remedies (7)
- 7-20. Errors in levelling
 - (1) Instrumental errors (2) Natural errors
- Personal errors (3)
- 7-21. Precision of levelling **QUESTIONS 7**

CHAPTER 8 PERMANENT ADJUSTMENTS OF LEVELS

8-1. General

(3)

- Fundamental axes of the levelling instruments
 - Axis of the bubble tube and line of collimation (1)

Axis of the telescope and line of collimation

- (2) Axis of the bubble tube and vertical axis







- 8-3. Principle of reversibility
- 8-4. Precautions to be taken during the permanent adjustments
 - Cleaning of parts (1)
 - Condition for adjustment (2)
 - Manipulation of instrument (3)
 - (4) Process of adjustment
 - (5) Use of pin
 - Use of screws (6)
- 8-5. Adjustments of dumpy level
 - (1) Adjustment of the bubble tube
 - (2)Adjustment of cross-hair ring
 - Adjustment of the line of collimation (3)
- Adjustments of y-level 8-6
 - To make the line of collimation coincide with the axis (1) of the telescope
 - (2)To make the axis of the bubble tube parallel to the line of collimation
 - To make the axis of the bubble tube perpendicular to (3)the vertical axis
- Adjustments of cooke's reversible level
 - To coincide the line of collimation with the axis of the
 - To make the line of collimation perpendicular to the (2) vertical axis
 - To make the axis of the bubble perpendicular to the vertical axis
- 8-8. Adjustments of cushing's level
 - To coincide the line of collimation with the axis of the telescope
 - (2) To make the line of collimation perpendicular to the vertical axis
 - To make the axis of the bubble perpendicular to the vertical axis
- 8-9. Adjustments of tilting level
 - Adjustment of cross-hair ring
 - (2) Adjustment of the line of collimation

QUESTIONS 8

CHAPTER 9 CONTOURING

9-1. General

9-2

- Contour lines 9-3
 - Contour interval
 - Importance of the work
 - Money and time available (2)
 - Nature of the ground (3)
 - (4) Scale of the map
- 9-4 Horizontal equivalent
- 9-5. Characteristics of contours
 - (1) Closed loops
 - (2) Contour of same level
 - (3) Hills and hollows
 - (4) Indication of slope
 - (5) Ridge and valley
 - (6) Saddle or pass
- 9-6. Location of contours
 - (1) Direct method
 - (2) Indirect method
- 9-7. Interpolation of contours
 - Estimation (1)
 - Arithmetical calculations (2)
 - Graphical (3)
- 9-8 Contour drawing
- 9-9. Contour gradient
- 9-10. Uses of contours
 - (1) Calculation of reservoir capacity
 - (2) Contour gradients
 - (3) Drawing of sections

- (4) Earthwork calculations
- (5) Intervisibility between two stations
- (6) Measurement of drainage area
- (7) Selection of route
- (8) Strategic points

OUESTIONS 9

CHAPTER 10 PLANE TABLE SURVEY

- 10-1. General
- 10-2. Principle of plane table survey
- 10-3. Instruments required for plane table survey
 - (1) Alidade
 - (2) Drawing board
- 10-4. Accessories required for plane table survey
 - (1) Plumbing fork
 - (2) Spirit level
 - (3) Trough compass
 - (4) Miscellaneous
- 10-5. Temporary adjustments or setting up of plane table
 - (1) Centering
 - (2) Levelling
 - (3) Orientation
- 10-6. Methods of plane table survey
 - (1) Radiation
 - (2) Intersection
 - (3) Traversing
 - (4) Resection
- Two-point and three-point problems
- 10-7-1. Two-point problem
- 10-7-2. Three-point problem
 - (1) Mechanical method
 - (2) Graphical method
 - (3) Trial and error method
- 10-8. Errors in plane table survey
- Advantages of plane table survey
- 10-10. Disadvantages of plane table survey

QUESTIONS 10

CHAPTER 11 COMPUTATION OF AREAS

- 11-1. General
- 11-2. Methods for the computation of areas
 - (1) Analytical method
 - (2) Graphic method
 - (3) Mechanical method
- 11-3. Geometrical figures
- 11-4. Measuring grids
- 11-5. Ordinates
 - (1) Offsets at equal intervals
 - (2) Offsets at unequal intervals
- 11-6. Co-ordinates
- 11-7. Planimeter
- Method of using a planimeter 11-8.
- 11-9. Zero circle

QUESTIONS 11

CHAPTER 12 COMPUTATION OF VOLUMES

- 12-1. General
 - (1) Accuracy of the field work
 - (2) Accuracy of the plotting
 - (3) Method of calculation
- Methods for computation of volumes
- 12-2-1. Cross-sections
- 12-2-2. Level section
- 12-2-3. Two-level section
- 12-2-4. Side hill two-level section
- 12-2-5. Three-level section






Follow us:







BASIC SURVEYING AND LEVELLING

	DETAILED (CONTENT	S
12-2-6.	Multi-level section	СНАРТ	ER 14 GLOBAL POSITIONING SYSTEM (G.P.S.) AND
	Trapezoidal formula		GEOGRAPHIC INFORMATION SYSTEM (G.I.S.)
	Prismoidal formula	14-1.	General
12-2-7.	Spot levels	14-2.	Fundamentals of G.P.S.
12-2-8.	Study of contour plan	14-3.	Segments of G.P.S.
12-3.	Prismoidal correction		(1) The space segment
12-4.	Curvature correction for volumes		(2) The control and monitoring segment
	(1) Equivalent areas		(3) The user segment
	(2) Pappu's theorem	14-4.	Working of G.P.S.
12-5.	Curvature correction for standard sections	14-5.	Field procedure of G.P.S.
	(1) Level section	14-6.	Observation Procedure
	(2) Two-level section and three-level section	14-7.	G.P.S. Receivers
	(3) Side hill two-level section	14-8.	Types of G.P.S. Receivers
12-6.	Typical problems		(1) Standard G.P.S. receiver
QUESTIONS 12			(2) Differential G.P.S. (D.G.P.S.) receiver
	ER 13 MINOR INSTRUMENTS		(3) Global Navigation Satellite System (G.N.S.S.)
13-1.	General		receiver
13-2.	Abney level	14-9.	Function of G.P.S. Receiver
13-2-1.	Essential parts of abney level	14-10.	G.P.S. Terminology
	(1) Bubble tube		(1) 2D positioning
	(2) Graduated arc		(2) 3D positioning
12 2 2	(3) Square tube		(3) Real-time differential G.P.S. (D.G.P.S.)
13-2-2. 13-2-3.	Working of abney level Testing of abney level		(4) Wide area augmentation system (W.A.A.S.)
13-2-3.	Box sextant		(5) Waypoint (landmark)
13-3.	Essential parts of box sextant		(6) Route
13-3-2.	Principle of box sextant		(7) Track log
13-3-3.	Working of box sextant		(8) Goto function
	(1) Angle greater than 110°		(9) Active from waypoint
	(2) Brightness of object		(10) Active GOTO waypoint
	(3) Measuring vertical angles		(11) Active leg
	(4) Setting out an angle		(12) Bearing (BRG) or Desired Track (DTK)
	(5) Unequal distances		(13) Tracking (TRK) or heading (HDG)(14) Course made good (C.M.G.) or course over ground
13-3-4.	Optical requirements and adjustments of box sextant		(14) Course made good (C.M.G.) or course over ground (C.O.G.)
	(1) Adjustment of horizon glass		(15) Cross track error (XTE)
	(2) Adjustment of the planes of two glasses		(16) Course deviation indicator (CDI)
13-4.	Ceylon ghat tracer		(17) Speed over ground (S.O.G.)
13-4-1.	Essential parts of ghat tracer		(18) Velocity made good (V.M.G.)
	(1) Hollow tube		(19) Estimated position error (E.P.E.)
	(2) Horizontal raked bar		(20) Estimated time enroute (E.T.E.)
13-4-2.	(3) Weight Working of ghat tracer		(21) Estimated time of arrival (E.T.A.)
13-4-2.	De lisle's clinometer	14-11.	Uses of G.P.S.
13-5-1.	Essential parts of de lisle's clinometer	14-12.	Limitations of G.P.S.
13 3 1.	(1) Frame	14-13.	Advantages of G.P.S.
	(2) Graduated arc	14-14.	Geographic information system (G.I.S.)
	(3) Radial arm	14-15.	Components of G.I.S.
13-5-2.	Working of de lisle's clinometer	14-16.	Methods to store data in G.I.S.
13-6.	Eidograph		(1) Raster method to store data in G.I.S.
13-7.	Foot-rule clinometer		(2) Vector method to store data in G.I.S.
13-7-1.	Working of foot-rule clinometer	14-17.	Advantages and disadvantages of raster and vector method
13-8.	Hand level	14-18.	Uses of G.I.S.
13-8-1.	Working of hand level	14-19.	Difference between G.P.S. and G.I.S.
13-8-2.	Adjustment of the hand level	14-20.	Digital maps
13-9.	Indian pattern clinometer	14-20-1.	
13-9-1.	Essential parts of Indian pattern clinometer	14-20-2.	Uses of digital map
	(1) Base-plate	14-20-3.	
	(2) Eye-vane	14-20-4.	Working of digital maps
12.0.2	(3) Object-vane Working of Indian pattern clinemator	14-20-5.	
13-9-2. 13-9-3.	Working of Indian pattern clinometer	14-21.	Latest G.P.S. Technology
	Adjustment of Indian pattern clinometer	QUESTI	
13-10. 13-11.	Pantagraph Proportional compass	APPEN	DIX I MULTIPLE CHOICE QUESTIONS (MCQ)
13-11.	Watkin's mirror clinometer	APPEN	DIX II ABBREVIATED TERMS
QUESTIC		INDEX	







