

examinations conducted by various Boards of Technical Education, Certificate Courses as well as for the A.M.I.E., U.P.S.C., G.A.T.E., I.E.S., and other similar competitive and professional examinations. It should also be an immense use to practicing Civil Engineers.

- 18: DESIGN OF FOUNDATIONS: FUNDAMENTALS
- 24 : CIRCULAR, RIBBED AND WAFFLE SLABS

APPENDIX C : SHORT QUESTIONS WITH ANSWERS

Catalogue

Follow us:

Checklist

(f) /charotar (y) /cphpl1511 () /charotarpub (in) /in/charotar/

REINFORCED CONCRETE – VOL. I PART-II DETAILED CONTENTS

CHAPTER 17 COLUMNS

- 17-1. Introductory
- 17-2. Loads and displacements for building columns(1) Vertical gravity loads (dead and live loads)
 - (2) Horizontal loads (wind and earthquake loads)
- 17-3. Classification of columns
- 17-3-1. Braced and unbraced columns
 - (1) Braced column
 - (2) Unbraced columns
- 17-3-2. No-sway and sway columns
- 17-3-3. Tied, spiral and composite columns
 - (1) Tied columns
 - (2) Spiral columns
 - (3) Composite columns
- 17-3-4. Short and long columns
 - (1) Short columns
 - (2) Long (slender) columns
- 17-4. Reinforcement requirements
 - (1) Longitudinal reinforcement
 - (2) Transverse reinforcements
- 17-5. Minimum eccentricity
- 17-6. Assumptions made for design
- Short columns
- 17-7. Axially loaded tied columns
- 17-8. Axially loaded spiral columns
- 17-9. Short eccentrically loaded columns —
- Uniaxial bending Uniaxial bending
 - (1) N.A. Lies outside the section
 - (2) N.A. Lies inside the section
- 17-10. Modes of failure in combined axial load and uniaxial bending(2) Balanced failure
 - (3) Tensile failure
- 17-11. Types of problems
- 17-12. The interaction diagram
- 17-13. Stress block parameters when n.A. Lies outside the section
- 17-14. Construction of interaction diagrams
- 17-14-1.Pure axial load
- 17-14-2. Axial load with uniaxial moment
- 17-15. Neutral axis (n.A.) Lies outside the section
- 17-16. Neutral axis (n.A.) Lies inside the section
- 17-17. Charts for compression with bending
- 17-18. Tension with bending
- 17-19. Use of interaction diagram
- 17-20. Unsymmetrically reinforced columns with Uniaxial eccentricity Define
 - (1) General method
 - (2) Approximate method
- 17-21. Using an excel program to draw an interaction diagram of A given rectangular column

Charotar Publishing House Pvt. Ltd. Opposite Amul Dairy, Old Civil Court Road, Anand 388 001 India

🔕 +91 99249 78998 🖾 charotar@cphbooks.com, 🗠 https://cphbooks.in

- 17-22. Short eccentrically loaded columns: biaxial bending
- Slender columns
- 17-23. Slender columns
 - (1) Unsupported length
 - (2) Effective length
 - (3) Radius of gyration
 - (4) Slenderness ratio (S.R.)
 - (5) Short and long columns
 - (6) Slenderness limits for columns
- 17-24. Effective length calculations
 - Method 1 Method 2

- 17-25. Lengths of column
 - (1) Floor height (h)
 - (2) Length of column (1)
 - (3) Unsupported length of column (1)
 - (4) Effective length of column (lef)
- 17-26. Design of slender columns
 - (1) Braced columns
 - (2) Unbraced columns
- 17-27. Design and detailing of a practical column
- Examples 17

CHAPTER 18 DESIGN OF FOUNDATIONS: FUNDAMENTALS

- 18-1. Introductory
- 18-2. Classification of found ations
 - (1) Flexible and rigid foundations
 - (2) Shallow and deep foundations
- 18-3. Types of footings
 - (1) Continuous wall footing
 - (2) Isolated footing
 - (3) Combined footing
 - (4) Strap footing
 - (5) Strip footing
 - (6) Raft foundation
 - (7) Pile foundation
- 18-4. R.C.C. Footings
 - (1) Column/wall footing connection
 - We may state
 - (2) Aspects of footing design
 - Soil design
- 18-5. Soil exploration
- 18-6. Depth of foundation
- 18-7. Cohesive and cohesionless soils
 - (1) Cohesive soil
 - (2) Cohesionless soil
 - (3) $C-\phi$ soil

18-8.

- Modes of soil failure
- (1) Catastrophic collapse
- (2) Excessive settlement
- 18-9. Types of shear failures of soil
 - (1) General shear failure
 - (2) Local shear failure
 - (3) Punching shear failure
 - (4) Intermediate (mixed mode) failure

18-12. Net safe bearing capacity (net sbc) of soil

(1) The ultimate bearing capacity

(2) Net ultimate bearing capacity

18-15. Allowable bearing capacity (abp) on soil

18-17. Simplified method of soil design for axial,

18-17-4. Selection of abp (allowable bearing pressure)

Inclined and eccentric loads

18-17-1. Transfer of loads from column to soil

18-17-2. Resultant loads at the base of footing

18-17-5. Footings subjected to axial loads

18-14. Safe bearing pressure (sbp) on soil

Overburden pressure

18-11. Contact pressure distribution under rigid footings

18-16. Calculation of net safe bearing capacity (net sbc) of

Soil effective surcharge and effective surcharge/

Follow us:

(f) /charotar (y) /cphpl1511 () /charotarpub (in) /in/charotar/

18-10. Vertical stress distribution

18-13. Settlement of soil

Net sbc

18-17-3.Goal of design

REINFORCED CONCRETE – VOL. I PART-II DETAILED CONTENTS

- 18-17-6. Footing subjected to axial loads and moments
 - (1) Uniaxial moment
 - (2) Biaxial moment
 - Loss of contact
- 18-17-7. Footing subjected to horizontal loads
- 18-17-8. Use of passive pressure for resisting sliding
 - (1) Cohesionless soil
 - (2) Cohesive soil
- 18-17-9.Use of slab tie and beam ties for Resisting sliding
 - Structural design
- 18-18. Selection of plan dimensions
- 18-19. Upward soil pressure
- 18-20. General soil design considerations
 - (1) Uniform settlement
 - (2) Uniform pressure
 - (3) Non-uniform pressure
- 18-21. Footing for eccentrically loaded columns
- (1) Concentric footing
 - (2) Eccentric footing
 - Soil design
- 18-22. General structural design considerations
- 18-23. Concrete pedestal
- 18-24. Transfer of load at the base of column
 - **Dowels**
 - (1) Bearing strength
 - (2) Bond strength
 - Practical consideration

Examples 18

CHAPTER 19 ISOLATED FOOTINGS

- 19-1. Introductory
- 19-2. Wall footings
- 19-3. Axially loaded pad footing
 - (1) Proportioning the size
 - (2) Bending moment (3) Nominal reinforcement

 - (4) Development length
 - (5) Shear
 - (6) Deflection
 - (7) Cover
 - (8) Reinforcement requirements
 - (9) Transfer of load from column to footing
 - (10) Weight of the footing
- 19-4. Axially loaded sloped footing 19-5. Eccentrically loaded footings
 - (1) Uniaxial moment
 - (2) Biaxial moment
- 19-6. Fixing up footing dimensions
- 19-7. Isolated slab and beam type footing
- 19-8. Footing for multi-storeyed building columns
- 19-9. Excel program for design of an isolated footing
- Examples 19

CHAPTER 20 COMBINED FOOTINGS

- 20-1. Combined footings
- 20-2. Combined footing for two axially loaded columns
- 20-3. Strap footings
- Strip footings 20-4.
- 20-5. Combined footing for generalised load system

Charotar Publishing House Pvt. Ltd. Opposite Amul Dairy, Old Civil Court Road, Anand 388 001 India

🔕 +91 99249 78998 🖾 charotar@cphbooks.com, 📾 https://cphbooks.in

- (1) General
- (2) Collinear columns
- (3) Drawing co-ordinate axes
- (4) Soil design 20-6. Raft foundation
- 20-7. Closure
- Examples 20

CHAPTER 21 PILE FOUNDATIONS

- 21-1. Introductory
 - 21-2. Loads on pile groups (1) Axial loads on a group of vertical piles
 - (2) Moment on a group of vertical piles
 - (3) Horizontal load
 - (4) Design of a pile
 - 21-3. Soil design of a pile
- 21-4. Structural design of a pile
- 21-5. Design of a pile cap
- General
- Examples 21

CHAPTER 22 CIRCULAR RAFT FOUNDATIONS 22-1.

- Introduction
- (1) Annular raft
- (2) Solid raft
- Annular raft
- 22-2. Formulae for annular raft soil design of An annular raft
- Define

22-3

22-4

22-5.

Constants

23-1. 23-2.

23-3.

23-4.

23-5.

23-6.

(1)

Examples 22

- (1) Raft positioning
 - (2) Upward pressures
- Formulae for annular raft
- (1) Axial load
- Constants
- Radial moments
- Tangential moments
- (2) Applied moment m
- Radial shears
- Tangential shears
- Constants
- Radial moments
- Tangential moments
- **R-T** moments
- Design for flexure and shear
 - (1) Flexure
 - (2) Shear

Solid raft

Introductory

(1) Gravity wall

(4) Buttress wall

(6) Gabion walls

(7) Box culvert

(2) Cantilever wall

(3) Counterfort wall

(5) Bridge abutment

Earth pressure on walls

(1) Cohesionless soil

23-4-1. Earth pressure of submerged soil

Drainage of retaining walls

The restoring moment (stabilizing moment) should be

(2) The vertical pressure on the soil under the base should

not exceed the permissible bearing pressure of soil

(3) The restoring force against sliding should be more than

the sliding force so as to get a factor of safety not less

Follow us:

(f) /charotar (y) /cphpl1511 () /charotarpub (in) /in/charotar/

more than the overturning moment so as to

Get a factor of safety not less than 1.55

23-4-2. Earth pressure due to surcharge

Stability requirements

than 1.55

(2) Cohesive soil

Calculation of earth pressure

(1) Axial load (2) Applied moment m

CHAPTER 23 RETAINING WALLS

Types of retaining walls

(3) Locations for analysis and design Solid raft

REINFORCED CONCRETE – VOL. I PART-II DETAILED CONTENTS

(4) Check for combined effect of vertical and horizontal loads Cantilever retaining wall

- 23-7. Preliminary proportioning of cantilever retaining wall
 - (1) Height of wall
 - (2) Base width and position of stem on the base of footing
 - (3) Thickness of base slab
 - (4) Thickness of stem
- 23-8. Design of a cantilever retaining wall
- (1) Design of stem
 - (2) Design of heel
 - (3) Design of toe
 - (4) Base key
 - (5) Minimum reinforcement in walls with variable depth Counterfort retaining wall
- 23-9. Counterfort wall
- 23-10. Stability and design procedure
 - (1) Stability
 - (2) Stem
 - (3) Base
 - (4) Counterforts
- Examples 23

CHAPTER 24 CIRCULAR, RIBBED AND WAFFLE SLABS

Circular slabs

- 24-1. Introductory
- 24-2. Analysis
- 24-3. Introductory
- 24-4. Proportioning the dimensions
- 24-5. Analysis and design procedure
 - (1) Analysis
 - (2) Design

Waffle slabs

24-6. Two-way spanning ribbed slabs: waffle slabs Examples 24

CHAPTER 25 FLAT SLABS

- 25-1. Introductory
 - (1) Flat slab with no drop and no column head
 - (2) Flat slab without drop and column with column head
 - (3) Flat slab with drop and column with column head
- 25-2. Column and middle strips
 - (1) Column strip
 - (2) Middle strip
 - (3) Panel
- 25-3. Proportioning of flat slab elements
 - (1) Thickness of flat slab
 - (2) Drops
 - (3) Column head
- 25-4. Design methods for flat slabs
 - (1) Direct design method (D.D.M.)
 - (2) Equivalent frame method (E.F.M.)
- Direct design method (D.D.M.)
- 25-5. Total design moment
- 25-6. Distribution of moments in slabs Interior negative design moment Positive design moment Exterior negative design moment
- (1) Moments in column strip
- (2) Moments in middle strip
- 25-7. Effect of pattern loading
- (1) By increasing the flexural stiffness of columns(2) By increasing the positive moment

Charotar Publishing House Pvt. Ltd. Opposite Amul Dairy, Old Civil Court Road, Anand 388 001 India

🔕 +91 99249 78998 🖾 charotar@cphbooks.com, 🗠 https://cphbooks.in

- 25-8. Transfer of floor loads into columns
- (1) Transfer of vertical load
- (2) Transfer of moment
- 25-9. Design for shear
 - (1) Calculation of shear stress(2) Permissible shear stress
- 25-10. Provision of reinforcement
- 25-11. Moments in columns
- Examples 25

CHAPTER 26 DOMES

- 26-1. Introductory
- 26-2. Stresses in domes
- 26-3. Formulae for forces in spherical domes
 (1) Uniform loads as on dome
 (2) Computed leads
 - (2) Concentrated loads w on crown
- 26-4. Design of a spherical dome
- 26-5. Section design for pure tension

26-6. Formulae for forces in conical domes

Examples 26

CHAPTER 27 DEEP BEAMS AND CORBELS

- 27-1. Introduction
- Deep beams
- 27-2. Definitions
 - (1) Deep beams (2) Effective span (3) Lever arm
- 27-3. Design and details of reinforcements
 - (1) Design of reinforcements
 - (2) Details of reinforcements
 - Corbels
- 27-4. Corbels 27-5. Shear fr
- 27-5. Shear friction27-6. Corbel dimension
 - Corbel dimensions (1) Width of the corbel
 - (1) Width of the corber(2) Width of the base plate
 - (3) Span of the corbel
 - (4) Dopth d at root of the or
 - (4) Depth d at root of the corbel(5) Depth d1 at the outer edge of contact area
- 27-7. Design of a corbel
- (1) Primary tension reinforcement (2) Shear reinforcements Examples 27

CHAPTER 28 GRID OR COFFERED FLOORS

- 28-1. Introduction
- 28-2. Analysis of grid floors
- 28-3. Plate theory
 - (1) The flexural rigidities can be obtained from:
 - (2) The torsional rigidity of rectangular section can be obtained from

Examples 28

29-4.

29-5.

29-6.

29-7.

29-8.

29-9.

29-11.

30-1.

30-2.

30-3.

30-4.

30-5.

30-6.

30-7.

INDEX

Examples 29

CHAPTER 29 FORMWORK

- 29-1. Introductory
- 29-2. Requirements for good formwork

Permissible stresses for timber

29-12. Action prior to and during concreting

Shuttering for beam and slab floor

CHAPTER 30 DETAILING OF REINFORCEMENT

Columns framing plan and foundation details

APPENDIX C : SHORT QUESTIONS WITH ANSWERS

Follow us:

(f) /charotar (y) /cphpl1511 () /charotarpub (in) /in/charotar/

General informations for drawing

Choice of formwork

Loads on formwork

Design of formwork

29-10. Practical considerations

29-13. Striking of forms

Introduction

General notes

Columns details

Slabs and beams details

Drafting

Kicker

Closure

Erection of forms

Shuttering for columns

29-3. Materials for forms (1) Timber (2) Steel